


One-sided reducer



| Type | d1, mm | d2, mm | l1, mm | l2, mm | L, mm | p, mm |
|---------------------------|--------|--------|--------|--------|-------|-------|
| One-sided reducer 140/125 | 140 | 125 | 50 | 50 | 51 | 0.50 |
| One-sided reducer 150/125 | 150 | 125 | 50 | 50 | 64 | 0.50 |
| One-sided reducer 160/125 | | 125 | 50 | 50 | 78 | 0.50 |
| One-sided reducer 160/140 | 160 | 140 | 50 | 50 | 57 | 0.50 |
| One-sided reducer 160/150 | | 150 | 50 | 50 | 44 | 0.50 |
| One-sided reducer 200/125 | | 125 | 50 | 50 | 133 | 0.50 |
| One-sided reducer 200/140 | 200 | 140 | 50 | 50 | 112 | 0.50 |
| One-sided reducer 200/150 | | 150 | 50 | 50 | 99 | 0.50 |
| One-sided reducer 200/160 | | 160 | 50 | 50 | 85 | 0.50 |
| One-sided reducer 224/125 | | 125 | 50 | 50 | 166 | 0.50 |
| One-sided reducer 224/150 | 224 | 150 | 50 | 50 | 132 | 0.50 |
| One-sided reducer 224/160 | | 160 | 50 | 50 | 118 | 0.50 |
| One-sided reducer 224/200 | | 200 | 50 | 50 | 63 | 0.50 |
| One-sided reducer 250/125 | | 125 | 50 | 50 | 202 | 0.50 |
| One-sided reducer 250/140 | 250 | 140 | 50 | 50 | 181 | 0.50 |
| One-sided reducer 250/150 | | 150 | 50 | 50 | 167 | 0.50 |
| One-sided reducer 250/160 | | 160 | 50 | 50 | 154 | 0.50 |
| One-sided reducer 250/200 | | 200 | 50 | 50 | 99 | 0.50 |
| One-sided reducer 250/224 | | 224 | 50 | 50 | 66 | 0.50 |
| One-sided reducer 280/125 | | 125 | 50 | 50 | 243 | 0.50 |
| One-sided reducer 280/160 | 280 | 160 | 50 | 50 | 195 | 0.50 |
| One-sided reducer 280/200 | | 200 | 50 | 50 | 140 | 0.50 |
| One-sided reducer 280/250 | | 250 | 50 | 50 | 71 | 0.50 |
| One-sided reducer 315/125 | | 125 | 50 | 50 | 291 | 0.50 |
| One-sided reducer 315/140 | 315 | 140 | 50 | 50 | 270 | 0.50 |
| One-sided reducer 315/150 | | 150 | 50 | 50 | 257 | 0.50 |
| One-sided reducer 315/160 | | 160 | 50 | 50 | 243 | 0.50 |
| One-sided reducer 315/200 | | 200 | 50 | 50 | 188 | 0.50 |
| One-sided reducer 315/224 | | 224 | 50 | 50 | 155 | 0.50 |
| One-sided reducer 315/250 | | 250 | 50 | 50 | 119 | 0.50 |
| One-sided reducer 315/280 | | 280 | 50 | 50 | 78 | 0.50 |

ONE-SIDED REDUCER

| Type | d1, mm | d2, mm | l1, mm | l2, mm | L, mm | p, mm |
|---------------------------|--------|--------|--------|--------|-------|-------|
| One-sided reducer 355/125 | 355 | 125 | 60 | 50 | 708 | 0.50 |
| One-sided reducer 355/150 | | 150 | 60 | 50 | 315 | 0.50 |
| One-sided reducer 355/160 | | 160 | 60 | 50 | 298 | 0.50 |
| One-sided reducer 355/200 | | 200 | 60 | 50 | 243 | 0.50 |
| One-sided reducer 355/224 | | 224 | 60 | 50 | 210 | 0.50 |
| One-sided reducer 355/250 | | 250 | 60 | 50 | 174 | 0.50 |
| One-sided reducer 355/280 | | 280 | 60 | 50 | 133 | 0.50 |
| One-sided reducer 355/315 | | 315 | 60 | 50 | 85 | 0.50 |
| One-sided reducer 400/125 | | 400 | 125 | 60 | 50 | 424 |
| One-sided reducer 400/150 | 150 | | 60 | 50 | 385 | 0.7 |
| One-sided reducer 400/160 | 160 | | 60 | 50 | 365 | 0.7 |
| One-sided reducer 400/200 | 200 | | 60 | 50 | 310 | 0.7 |
| One-sided reducer 400/224 | 224 | | 60 | 50 | 277 | 0.7 |
| One-sided reducer 400/250 | 250 | | 60 | 50 | 241 | 0.7 |
| One-sided reducer 400/280 | 280 | | 60 | 50 | 200 | 0.7 |
| One-sided reducer 400/315 | 315 | | 60 | 50 | 152 | 0.7 |
| One-sided reducer 400/355 | 355 | | 60 | 60 | 97 | 0.7 |
| One-sided reducer 450/150 | 450 | 150 | 60 | 50 | 462 | 0.7 |
| One-sided reducer 450/160 | | 160 | 60 | 50 | 446 | 0.7 |
| One-sided reducer 450/200 | | 200 | 60 | 50 | 378 | 0.7 |
| One-sided reducer 450/224 | | 224 | 60 | 50 | 346 | 0.7 |
| One-sided reducer 450/250 | | 250 | 60 | 50 | 310 | 0.7 |
| One-sided reducer 450/280 | | 280 | 60 | 50 | 269 | 0.7 |
| One-sided reducer 450/315 | | 315 | 60 | 50 | 221 | 0.7 |
| One-sided reducer 450/355 | | 355 | 60 | 60 | 166 | 0.7 |
| One-sided reducer 450/400 | | 400 | 60 | 60 | 109 | 0.7 |
| One-sided reducer 500/200 | 500 | 200 | 80 | 50 | 447 | 0.7 |
| One-sided reducer 500/224 | | 224 | 80 | 50 | 414 | 0.7 |
| One-sided reducer 500/250 | | 250 | 80 | 50 | 378 | 0.7 |
| One-sided reducer 500/280 | | 280 | 80 | 50 | 337 | 0.7 |
| One-sided reducer 500/315 | | 315 | 80 | 50 | 289 | 0.7 |
| One-sided reducer 500/355 | | 355 | 80 | 60 | 234 | 0.7 |
| One-sided reducer 500/400 | | 400 | 80 | 60 | 177 | 0.7 |
| One-sided reducer 500/450 | | 450 | 80 | 60 | 109 | 0.7 |
| One-sided reducer 560/200 | | 560 | 200 | 80 | 50 | 554 |
| One-sided reducer 560/224 | 224 | | 80 | 50 | 517 | 0.7 |
| One-sided reducer 560/250 | 250 | | 80 | 50 | 461 | 0.7 |
| One-sided reducer 560/280 | 280 | | 80 | 50 | 420 | 0.7 |
| One-sided reducer 560/315 | 315 | | 80 | 50 | 371 | 0.7 |
| One-sided reducer 560/355 | 355 | | 80 | 60 | 317 | 0.7 |
| One-sided reducer 560/400 | 400 | | 80 | 60 | 260 | 0.7 |
| One-sided reducer 560/450 | 450 | | 80 | 60 | 191 | 0.7 |
| One-sided reducer 560/500 | 500 | | 80 | 80 | 122 | 0.7 |
| One-sided reducer 600/250 | 600 | 250 | 80 | 50 | 516 | 0.7 |
| One-sided reducer 600/280 | | 280 | 80 | 50 | 475 | 0.7 |
| One-sided reducer 600/315 | | 315 | 80 | 50 | 427 | 0.7 |
| One-sided reducer 600/355 | | 355 | 80 | 60 | 372 | 0.7 |
| One-sided reducer 600/400 | | 400 | 80 | 60 | 315 | 0.7 |

ONE-SIDED REDUCER

| Type | d1, mm | d2, mm | l1, mm | l2, mm | L, mm | p, mm |
|-----------------------------|--------|--------|--------|--------|-------|-------|
| One-sided reducer 600/450 | 600 | 450 | 80 | 60 | 246 | 0.7 |
| One-sided reducer 600/500 | | 500 | 80 | 80 | 177 | 0.7 |
| One-sided reducer 600/560 | | 560 | 80 | 80 | 95 | 0.7 |
| One-sided reducer 630/250 | 630 | 250 | 80 | 50 | 557 | 0.7 |
| One-sided reducer 630/280 | | 280 | 80 | 50 | 516 | 0.7 |
| One-sided reducer 630/315 | | 315 | 80 | 50 | 468 | 0.7 |
| One-sided reducer 630/355 | | 355 | 80 | 60 | 413 | 0.7 |
| One-sided reducer 630/400 | | 400 | 80 | 60 | 356 | 0.7 |
| One-sided reducer 630/450 | | 450 | 80 | 60 | 287 | 0.7 |
| One-sided reducer 630/500 | | 500 | 80 | 80 | 219 | 0.7 |
| One-sided reducer 630/560 | | 560 | 80 | 80 | 136 | 0.7 |
| One-sided reducer 630/600 | | 600 | 80 | 80 | 81 | 0.7 |
| One-sided reducer 710/315 | | 710 | 315 | 80 | 50 | 608 |
| One-sided reducer 710/355 | 355 | | 80 | 60 | 528 | 0.7 |
| One-sided reducer 710/400 | 400 | | 80 | 60 | 471 | 0.7 |
| One-sided reducer 710/450 | 450 | | 80 | 60 | 402 | 0.7 |
| One-sided reducer 710/500 | 500 | | 80 | 80 | 333 | 0.7 |
| One-sided reducer 710/560 | 560 | | 80 | 80 | 251 | 0.7 |
| One-sided reducer 710/600 | 600 | | 80 | 80 | 196 | 0.7 |
| One-sided reducer 710/630 | 630 | | 80 | 80 | 155 | 0.7 |
| One-sided reducer 800/400 | 800 | 400 | 80 | 60 | 594 | 0.7 |
| One-sided reducer 800/450 | | 450 | 80 | 60 | 526 | 0.7 |
| One-sided reducer 800/500 | | 500 | 80 | 80 | 457 | 0.7 |
| One-sided reducer 800/560 | | 560 | 80 | 80 | 375 | 0.7 |
| One-sided reducer 800/600 | | 600 | 80 | 80 | 320 | 0.7 |
| One-sided reducer 800/630 | | 630 | 80 | 80 | 279 | 0.7 |
| One-sided reducer 800/710 | | 710 | 80 | 80 | 174 | 0.7 |
| One-sided reducer 900/450 | 900 | 450 | 100 | 60 | 663 | 1 |
| One-sided reducer 900/500 | | 500 | 100 | 80 | 594 | 1 |
| One-sided reducer 900/560 | | 560 | 100 | 80 | 512 | 1 |
| One-sided reducer 900/600 | | 600 | 100 | 80 | 457 | 1 |
| One-sided reducer 900/630 | | 630 | 100 | 80 | 416 | 1 |
| One-sided reducer 900/710 | | 710 | 100 | 80 | 311 | 1 |
| One-sided reducer 900/800 | | 800 | 100 | 80 | 187 | 1 |
| One-sided reducer 1000/500 | 1000 | 500 | 100 | 80 | 732 | 1 |
| One-sided reducer 1000/560 | | 560 | 100 | 80 | 649 | 1 |
| One-sided reducer 1000/600 | | 600 | 100 | 80 | 594 | 1 |
| One-sided reducer 1000/630 | | 630 | 100 | 80 | 553 | 1 |
| One-sided reducer 1000/710 | | 710 | 100 | 80 | 448 | 1 |
| One-sided reducer 1000/800 | | 800 | 100 | 80 | 490 | 1 |
| One-sided reducer 1000/900 | | 900 | 100 | 100 | 352 | 1 |
| One-sided reducer 1120/1000 | 1120 | 1000 | 100 | 100 | 215 | 1 |
| One-sided reducer 1250/630 | 1250 | 630 | 100 | 80 | 897 | 1 |
| One-sided reducer 1250/710 | | 710 | 100 | 80 | 792 | 1 |
| One-sided reducer 1250/800 | | 800 | 100 | 80 | 668 | 1 |
| One-sided reducer 1250/900 | | 900 | 100 | 100 | 531 | 1 |
| One-sided reducer 1250/1000 | | 1000 | 100 | 100 | 393 | 1 |
| One-sided reducer 1250/1120 | | 1120 | 100 | 100 | 229 | 1 |